Block Group	Block Name	Acres	Hectares State(s)	Forest Types	Overall Fragmenta-tion	Boundary Roads	Internal Roads	Internal Devlopment	Energy Infrastructure	Surrounding Landscape	Water Quality	Harvest History	Maturity Proportion	Biological Legacies	Disturbance History	Interior Spp.	Rare Spp.	Exotic Spp.	Natural Communities	Ownership type	Tract Sizes	Other	Combine/ Split?
1	Sol Messer Mt.	39311.9	15908.9																			TN group did not think Sol Messer, Cohutta, and Lovers Leap go together	
1	Cohutta	195868.2	79265.0 GA, TN	Quite variable between moist and dry. Montane App. Oak hickory at tops of ridges; mesiphytic in coves: yood acidic coves: yood acidic hardwoods; a little N H; western side chestnut spouts in Ga. High elev beech forests.	major		Lots of internal FS roads, but not highly fragmented. One of Corridor K alternatives goes through northern part, but latest doesn't because of bear reserve.		No. (Rarouted powerines south of hiver, though? But being managed for native grasses.)		Outstanding Conasauga Riv. very high biodiversity ; probably cleanest water in Ga. from schmentation standpoint. Really bad in Occee, draining Ducktown Copper Hill area, but improving. Proposed road decommissioning to improve streams.	1930'smostly 70- 80 yr old forest	Quite variable. At Grassy Mtn (one of highest summits on western front) has old growth- maybe one of the better patches. Fairly old hemilock forest around wilderness.	variable	Lot of Rx fire. Occassional wildfire, but nothing really big. Ice storms 1980- 61, all the way up into south end of Smokies.		Lots of rare/endmic aquatic spp. A few records of ceruleans, but no evidence of breeding. No GWW's (used to be on TN side, but habitat gone now) White fringeless orchidone of 2 locations in NF in East TN. Ruth's golden aster in Occee Gorge. Extremely rich aquatic spp.	HWA. Wild hogs probably worst in this block. Plants mostly along old Wilfe openings. Fescue, lespedeza (bicolor really jumps out after fires), autumn olive, microstegeum. Jap. Knotweed starting to spread. Little bit alianthus, kudzu (being trid). Wild hogs bad in this area.	This may be most homogenous block-acre for acre lower diversity, except N face of Grassy Mth (potential bald restoration). Interesting beaver habitat on Jacks River-completely herbaceous.	Very large area in USFS (plan has designated some areas as good areas for old growth), and big druhk (a. 50%) of block in Cohutta of Lothurk (a. 50%) of block in Cohutta druhk (a. 50%) of block in Cohutta Ga, but fair amt in TN. TNC Holly Creek Preserve in Ga. 150 ac.		With invasives Alaculsy Valley some mitigation bankds in there on river.	Suggest adding area to SW south of Old CCC Routh and down to Hwy 52.
1	Lover's Leap	38842.0	15718.8 NC, TN	Great TMP an dother forest types there															Some excellent barrens along French Broad River (French Broad Shale Slopes (50 ac subcalcareous shale) along river (fewer than 10 occurrences at less than 1000 ac are known))			Very uniquereal sedimentary rock, not metasedimentary therefore has stuff elsewhere in NC; worth asking TN exprts if very different from anything they have in TN	
2	Payne Mt.	15275.1	6181.6 NC							Right across border from Copper Hill legacy impact							Old record of pine snake (few locations in NC); mountain chorus frog		There is an snha and some forest communities mapped here, but county significance mediocre quality	No known public land here		"Terra incognita"	
2	Dahlonega/ Amicalola	115582.0	41370.4 GA	Montane O H; some lower elev. Types-shortleaf on southern end; prob. Some southern red oak; lot of white pine (not plantation)				Ag uses; pretty significant development pressure, though subsided with economic downturn.			Huge priority for aquatic conservation-	Some white pine being cut, Rx burn, to convert to more expected community types; USFS focused particularly here on that issue. All NF 2nd and 3rd growth; some mature forest, but 20th century harvest. A lot more significant than Cohutta.			used to be gold mining here		Fish spp. In Etowah and Toccoa Rivers; near Suches, bog turtles (not clear if in block) At least 3 small whorled pogonia sites. Native brook trout (but may fade out with loss of hemlock)	Some pretty impressive kudzu stands on pvt property		Significant portion in National Recreation Area multiple use, but a little more protected from timber use. A.T. corridor runs through it. Cultural heritage old families with livestock		Different from Payne Mt. and other group 2 blocks; this one is more "Blue Ridge- like."	Suggest combining Rocky Mt. block with Dahlonega
2	Amicalola West	11344.2	4590.8 GA	Lot of pine (plantation). Some good upland hardwood along southern boundary						Big development (Big Cance) nearby to West. This block may be more important as connector than block. More important land outside ecoregion connects with this block.		A lot of it has been cut a lot.	Lot of pine plantation. But not all butchered; are some good upland hw forests along lower boundary. Not a lot of high quality forest at NW end.		THE epicenter of pine beetle damage a few years ago.		Bachman's sparrow (near threatened)kind of driven out of SBRare hanging on in piney areas.		Some plant diversity turkeybeard, a vine (scizandra???sp?). This area is very transitional to Piedmont.	Dawson WMA (State Forest)			
2	Burnt/Sassafras ML?	13302.2	5383.2 GA				A lot of roads inside	Aerial looks like scattered housing pads/roads in middle. A lot is "vulnerable to development."			Amicalola Hw maybe vulnerable to reservoir development???								Some nice mesic ravines w/ hemlock in Wildcat Creek tract	Big piece of land in it is in a CE the "Mountain Trust." "Possible that some land may be former timber co land transferred to their real estate co.			
3	Web Mt.	26388.7	10679.1 TN												Experts: "more likely to see lots of WUI firessee that more and more there."		Very few EO's here				Experts said take a look at, but weren't enthused about this block	Lower elevation; experts said low potential for forest block values here, so didn't really examine.	
3	Hiwassee Lake	14891.2	6026.2 TN	Low mountain pine forest	Eastern part extremely parcelized								SW side is fairly beaten up (Panther Top)		Higher quality stuff closely tied to river shores and lake shores, but compromised by bark beetle. "Forest Service: Recurrent fire in this areaone of best areas."		Indiana Bat; 2-3 rare salamander records		Has some natural communities fairly uncommon in NC; significant flood plain wetland			NEED TO ASK Ga and Tn experts if have forests similar to NC ones that are in better condition in this block.	exclude Panther

Block Group	Block Name	Acres	Hectares	State(s)	orest Types F	Overall Fragmenta-tion	Boundary Roads	Internal Roads	Internal Devlopment	Energy Infrastructure	Surrounding Landscape	Water Quality	Harvest History	Maturity Proportion	Biological Legacies	Disturbance History	Interior Spp.	Rare Spp.	Exotic Spp.	Natural Communities	Ownership type	Tract Sizes	Other	Combine/ Split?
3	Fort Mt.	27047.9	10945.9 G	A Cohu domi	e Pine than in utta; VP inant; CH O, rlett oak								Some harvest in small forests; not conversion to pine plantations. Cut and run when needed; probably high grading.	Plenty of 80-100 year old forest there (on USFS land)avg age about 70.		Not sure, but may have been hit hard by Southern pine beetle.		"Tatum Lead" area: some rare spp. In geologic inclusion area.	Similar to Cohutta, but perhaps more because of pvt ownership. Exotic red shiner in aquatics		Much less USFS than Cohutta; Nathan would guess lots of small to medium family ownerships		Generally, group doesn't know as much about this block as Cohutta.	
3	Hiwassee	100197.3	40548.4 TI	N nice N mapl	of pine; pretty shortleaf pine forests; chalk le forestone nly 2 places in			Lots of internal roads, but no major fragmenting hwys. Railroad parallels Hiwassee River. Corridor K may go into this block near Occee River (southern end)	Lots of farmland, small landholdings	Some pretty big powerlines (new TVA lines) that might be fragmenters.		Lots of plant and aquatic spp in Hiwassee River corridorpart of it is mussel sanctuary.	Forest has been managed extensively	"Mediccre"		Southern yellow pine component been hit hard by southern pine beetle. Hundreds of years of timber mgmt disturbance. Lot of Rx fire. Past arsonist was imprisoned.		Quilwort		Interesting gorge forests.	FS (Big Frog Wilderness in southern area). Nothing else particularly unique.			
4	Mid-Chattooga	38681.0	15653.6 G	A hemi differ Lowe a lot (althithat a block Chat dry c hard just c it as domi	ks but Lower lit ttooga); lots of fr	² S ownership a ttle more ragmented than ome others.			A lot less development than in other 2 blocks; much steeper slopes.			Better than in Sumter and Lowe Chattooga.	SC side mgmt history probably pretty close to Sumter and Lower Chattooga, except less burning. Ga: typical logging history, possibly a little on the younger side like Lower Chattooga.			Hit pretty hard by pine beetle, so ridgetop pine not doing well. Just a few left where were whole stands before.		Smooth coneflower (fire adapted) here also; Fraser's loosestrife; mosses.	"typical"	Spray cliffs & plants on Chattooga.	Includes Wild &Scenic River.		NOTE: this includes area where NC and SC geology show one thing and GA shows something different.	
4	Lower Chattooga	78235.5	31660.8 G	A PP, I	blackjack oak, c , shortleaf fo	lot as ontiguous orest as some ther areas.			Slightly less development than Sumter, but every paved road has houses, restaurants, etc. Tom thinks less people in this block than in Sumter.			Same as Sumter.	Very similar to Sumter.	Mixed age forest; some mature. Maybe a title younger than others. Heavily managed over last 30 yrs by USFS. But some old yellow pines too.		Lots of burning, Shortleaf, pitch pine plantations. THE most pyrric block in Ga. Was hit by pine beetle, but because has so much more, more is doing well.	Type of red crossbill different in bill morphology & vocalizations, specializing in TMP	Green salamanders. Highest numbers of smooth coneflower. Persistent trillium record. May be southernmost site for Turksybeard. botanically-no	denser than other areas a lot being treated on USFS. State doing a fair amt of aggressive treatments in State Park. This is probably the center of the distribution of	Place where Table Mountain Pine and echinacea grow at same site- only place in world??? Lot of glade barren. Tailulah Gorge rock has its own suite of spp. Carolina Hemlock Bluffs. Shortleaf pine/rhododendro n minus community pretty rare.	Includes part of the Wild & Scenic Area (a little)		Complex geology. Marble outcrop. Lower elevation generally	
4	Sumpter	34910.8	14127.9	short	of open tleaf pine st. Hillsides, etops are dry.			A lot. Every paved road will have fields around. Very dissected areas.				Lot of septic tanks. Chauga River not so good. Fair number of cattle operations.	Lots and lots of clearcuts in 70s and 80s. No longer logging NF lands, but active clearcuts til 90s. Just thinning now.			Lots of woodlands created with prescribed burninglooks good.	Lots of interior forest breeding species.	Fire-dependent smooth coneflower highest number colonies anywhere in world. Endemic Chauga River crawfish.		Mafic glades, rich forest with midwestern disjuncts.	"Lots of private lands." AND "Mostly US Forest Service." (???) Lots of inholdings	Inholdings mostly 50 ac or less.	Very geologically complex	
5	Fairy Stone	130828.2	52944.3 V.	A					Steve Croy surprised this came out as a big block: Hwy 40, 57, and 8 cut through it, SW side has lots of 45 mph roads and rural development, and there's a house in development, and there's a house in every nook and cranny. Also, large reservoir within easternmost area too.			28 segments of coldwater trout streams.												
5	Bull Mountain	#######	8823.7 V	A	N	OT RVWD???																		
5	Pinnacles of Dan	42549.7	17219.3 V	A	(000				Big development just went in at NE corner near Meadows of Dan			Big Bend of Dan- primary catchment and storage area for City of Danville power plant ; 34 segments of trout stream								Gorge pretty unique; the Pinnacles are pretty unique shaped mountaintop; not a lot of natural heritage work been done here.	Lot of private land			
6	Doe Mt.	19337.6	7825.6 TI	com	ment from TN erts. Mostly																Not public land. Large pvt tract now in bankruptcy.			

Block Group	Block Name	Acres	Hectares	State(s)	Forest Types	Overall Fragmenta-tion	Boundary Roads	Internal Roads	Internal Devlopment	Energy Infrastructure	Surrounding Landscape	Water Quality	Harvest History	Maturity Proportion	Biological Legacies	Disturbance History	Interior Spp.	Rare Spp.	Exotic Spp.	Natural Communities	Ownership type	Tract Sizes	Other	Combine/ Split?
7	Bald Mts/Rocky Fork	97470.9	39445.1 1		"Excellent dying Car Hem"; N H; Old growth TMP/PP woodland at Horse Hitch Gap (148 ac.)	"Super intact" nearly 40,000 acres intact. This is arguably one of the least fragmented areas in TN.		Lots of roadless area. Inholding w/in 10K acre Rocky Fork <u>Tract</u> could permit 18 mile loop road				Rocky Fork is one of the most productive freestone trout streams in Southern Apps.	10K ac R Fork tract been logged repeatedly. Parts were logged just before sellling to TCF.			Bumpass Cove mining co. land lot of historic mining, ranging from pick & shovel to hydrologic; EPA superfund site in or on edge of it.		Genetically distinct Yohnahlassee salamander in R Fork tract. Lots of turkeybeard in Rocky Fork; peregrine falcon	Problem in areas becoming established.	Lots of cliffs; outlying wetlands, seeps. At least one cave. High elev. Rocky summits.	Lots of USFS; much wilderness. Inholding within 10K ac Rocky Fork tract.		Suggest not ranking this block against Snake and Holstenshould be ranked on its own, and high priority.	
7	Holsten Mt.	58984.2	23870.1 T	TN N	Very similar to The Snake, but shortleaf pine on west edge near Holsten Lake; a tot more P O H on west side.	Two inventoried roadloss areass- Flint Mill and Beaverdam Creek.		northern part. Suggest 421 might split this block into two, like	Not much. Houses closer to lake and along northern boundary, and along periphery going up drainages. Radar installation at southern end.	Powerline across southern end. Potential interest in developing wind north of Eik Mills; Fork Mrn just south (Intra List Mills; Ind) (David Ray: not sure that is in THIS block)			FS has actively managed some places a lot: others too steep and remote.	Runs the gamut: some stands 150 yrs old, others being actiely harvested by FS.		Lot of arson ('understate- ment') Radar installation at southern end. Pretty good Rx fire program here. Quarry at south end???		Jamey Donaldson (expert at meeting) says he saw a min lion here in 1996.		Very steep slopes and hung drainages on western side- 135+ acres (Josh Kelly), Sinkholes as move into limestone areas [patch up in extreme North corner-Rockhouse Artime North corner-Rockhouse Artianage-spray cliffs. Starting some bog restoration.	FS land. Nothing in particular that jumps out.		Ranking: Snake has better connectivity than Holsten-main corridor of Apps.	Suggest 421 might spilt this block into two, like The Snake.
7	The Snake	55846.4	22600.2 1		Lots of mixed mesophytic-cove anatodocts, NH and top of night on top of night on top of night of the norman call with the torset with here sayer. "Stunde anter, Chestinut forest". Very significant Carthering on carthering to a carthering the cover of the top of to	"roadless" area (5K acres) on northern end (was 12K reduced, but still has few roads).		US 421might want to consider that a fragmenter cutting this into 2 blocks (N and S)		Powerline cut across Iron Min at northern end of boundary.	Development (ag and residential) coming in from vallers: development areas on certain parts around it. Just outside block is Wright Forest, 50 cares of old growth while historically. Shady Valley would have been like-no other type like development Attempted development on Cross Min where this block links. Wall results and and the block links with the block links.	Grad: old iron mining, but so old, now. now.	Limited logging in Northern end; moderate logging in middle; Low/moderate logging in southern end.	A few scattered, small O G ereas; most logged though; eastern slope logged more.		Old logging; iron mining (but not really an issue); couple of "pretty good" wildfires; little bit of R-res little bit of R-res at south end.		Carolina saxirage; roundleaf sundew on cliff. Nesting ravens.	watershedpretty good surrogate for potential spread of invasives" (Mark Pistrang). Someone was trying to stock wild hogs here,and getting to be more and more of them	small gorges, connect into larger Beaverdam Creek gorge; lot of exposed, moist rock areas unique community at northern end. Entire ridgetop shagbark hickory	very southern		Ranking: Snake has better connectivity than Holstenmain corridor of Apps.	US 421-might want to consider that a fragmenter cutting this into 2 blocks (N and S)
8	Max Patch	36268.2	14677.2 N	NC																			Very similar geology with Hurricane.	Suggest should be lumped with Hurricane & Harmon Denonly dirt roads separating them.
9	Harmon Den	37554.8	15197.9 1	TN f	R C; Hemlock forest				*Potential development* at Boomer en on eastern side may fragment.				Gulf tract "hammered horrible"	Some old growth in area. (2000 ac O G patch on NC side). Trail Fork pretty good condition.		In lower elevations, have had some major fires in TN (fire suppressed on NC side).		GWW's near picnic area; woodrat along river gorge.	Kudzu really bad along river and major road corridors.	Only known Yellow Wood forest (Jamey D.). Unusual forests that Josh K. thinks are 'native white pine cove forests." Some interesting streams and associated seeps and wetlands. River frontages 'pretty neat' pcckets of widflower types.	Includes Martha Sundquist State Forest.		Note: best wildlife corridor over I-40 exists b/t Smokys East and Harmon Den. Harmon Den has Max Patch granite; seems not similar to Joyce Kilmer and West Smokies.	Suggest should be
9	Cove Mt. WMA	13599.9	5503.7 1	ſN																	Includes part of Great Smoky Mtn NP; includes Ober Gatlinburg (highly disturbed) Lots of WUI		Has limestone. TN experts: small block, Ober Gatlinburgdon't spend much time on this block, doesn't make intuitive sense.	

ock roup	Block Name	Acres	Hectares	State(s)	Forest Types	Overall Fragmenta-tion	Boundary Roads	i Internal Roads	Internal Devlopment	Energy Infrastructure	Surrounding Landscape	Water Quality	Harvest History	Maturity Proportion	Biological Legacies	Disturbance History	Interior Spp.	Rare Spp.	Exotic Spp.	Natural Communities	Ownership type	Tract Sizes	Other	Combine/ Split
9	Joyce Kilmer/Unicci Mts./Slick Rock	378846.5	153313.7	TN, SI NC H	Vide variety: pruce fir (61); hortlead pine; IERO; one of est N H (rich /pe) on therokee NF.									A little bit higher quality on North side of 143; TN side of 143; TN side south of road really high quality habitat (some germinated in 1600's).		Southern pine beetle kill pretty dramatic throughout, but some good shortleaf pine on N-S ridges. Needs to be MORE fire here than there has been.	High densities of migratory forest interior birds	Many rare spp and natural communities. Some of the highest populations of rock gnome licher; Indiana bats; GWW's; sawwhet owl; northern flying solver banner; Allegheny Mountain Golden Banner	Wild hogs a problem; invasive plants a problem	hemlock/ silverbe (G2); dolomite exposures and white cak sink one of the more impressive calcareous limestone forests seen (Josh Kelly) Grassy bald. Fire dependent Red Knobs Post Oak- Virginia Pine Woodland (w/ om Hed endangered species & one st sp of concern). Bog.	. Lot of FS (big wilderness)		Probably tied for highest rainfall (at highest elevations) in eastern U.S.	Josh suggests splitting along H 143. Group agreed. (See comment to this cell). Josh also recommends extending bound all way to Hiwas River at SW boundary-road there is minimal
9	Yellow Creek	40683.6	16464.1	NC R	teally high quality tich Cove forest n north sides.	Potential for core much better north of Yellow Creek.		Yellow Creek Rd in middlelots of ag use, "hell of a lot" of invasives.						Forest condition along A.T. corridor great; some north slopes fantastic, very productive.		Rx. fire at LTLT CE and USFS land.		GWW's; lots of Ceruleans; lots of whipporwills along 128. Largest pop. of glade spurge in WNC (toward A.T. off Yellow Mtn. Gap). Swainson's warblers.			More FS land south of Yellow Creek, but forest more intact on North side. There are roads and an inholding at southern end.			Suggested poss split by Yellow (Road; road upgraded to we powerline.
9	Cheoah	39676.3	16056.4	NC				Roadless area of approx. 7-8,000 ac.						Cheoah Bald has at least 3000 ac of "old growth" on it				GWW's, Ceruleans, several rare salamanders		lots of snha's			"Keeper!" Corridor K may carve off northern portion near Stecoah, tunnel through Stecoah Mtn.	Might want to c out Stecoah are
9	Fires Creek	60413.3	24448.4	NC										Huge blocks of roadless and mature forest in this block				Biggest pop. Of So. App. Liverwort (confirmthis block??);		Bog at edge with Chunky Gal (in this block, or left out of both?)			"Fires Creek is different" metasedimentary	
9	Brasstown Bald	23504.7	9512.0	GA fo	I H; boulderfield orest; dwarf red ak at top.									Mostly mature. Probably not logged as heavily. Very steep, hard to get to.				Sicklefin redhorse in Brasstown Creek (hw just in block) Licens more common in NC/TN. Three toothed cinquefoil. Uncommon for Ga: breeding rosbeaks, veens, winter wens, ravens, Swainson's warblors, good suite of Canada gentian at Track Rock. App. cottontail, red sq.		"Lots of nice plan life at northern end." Rock outcrops with rare plants. Fen- like wetland.	t Big chunk is USFS Brasstown Wilderness area.		Wouldn't expect to be grouped with Rich Mn. because ultramafic serpentine elivine ringing it! LOOK CLOSELY AT STRANGE GEOLOGIC FEATURE!!	
9	Rich Mt.	29728.2	12030.6	A GA ri ra b	Cove type forests; sshes and asswoods on dgeshigh ainfall oulderfield forest <i>i</i> th Yellow birch								Was logged pretty heavily in 1950s pretty widespread throughout block. Took a lot of white oak. Some areas escaped.			Severe fire right after 1950s logging.		disjunct plants (heraculum maximum, and a trillium that needs to be named)	One of Ga.'s higher wild hog populations. Small amts of kudzu. Microstegeum along interior roads, but not terrible.	Very rich soils (amphibolite/ schist?)	USFS. Rich Mtn Wilderness takes up much of FS lands, and part outside is low- intensity mgmt, sc not much mgmt in block. Mtn Conservation Trust has CE next to Wilderness.		Very distinct block for Ga. in its vegetation; high rainfall	
9	Great Smokys West	340182.5	137667.0	TN, NC																				NC exprts argue should be combined with East; TN expert noted difference
10	Nantahala	16621.3	6726.4	NC										Huge blocks of roadless and mature forest in this block										
11	Great Smokys East	254767.9	103100.9		iggest expanse f S F in east									Largest expanse of O G forest in So. Apps. (60K ac +)						Herbaceous spp in seeps on ridge near Charlie's Bunion				NC exprts argu should be combined with West; TN experi noted difference
11	Qualla	15463.5	6257.8	NC Ir	ncludes S F, N H Cove													N. Flying Squirrel						Mike Schafale: Parkway should dividecombine with Plott B

ock oup	Block Name	Acres	Hectares State(s)	Forest Types	Overall Fragmenta-tion	Boundary Roads	Internal Roads	Internal Devlopment	Energy Infrastructure	Surrounding Landscape	Water Quality	Harvest History	Maturity Proportion	Biological Legacies	Disturbance History	Interior Spp.	Rare Spp.	Exotic Spp.	Natural Communities	Ownership type	Tract Sizes	Other	Combine/ Split
11	Little Tennessee	74459.7	30132.8 NC								Whiteoak Creek is good aquatic quality. This block also may be important to WQ in Little T, highest ranking biodiv. river in WNC.												Suggest lumping with Chunky Gal Nantahala, and Fires Creek. Southern bounda at Wayah Road: not very big road and pretty foreste
11	Rabun Bald	49823.7	20162.9 GA, NC	TMP at elevations 3200-4000 ridgetops. Lot of wetter, more mesic forest; HERO/ silverbell.	Pretty contiguous.		Mostly gravel roads.					Nothing out of the ordinary.			Some pretty big Rx fire for TMP. Several burns destroyed good stands, but TMP didn't come back.		Green salamander. Lots of EO's. Raven hotspot. Northern sawwhets in winter. Swainson's warbler.	"the usual"	N. facing cliff on Rabun Baldvery interesting plants & lichens. Hill Ridge mountain bogpitcher plants, swamp pink.	Mostly USFS; no wilderness. Pretty contiguous.			
11	Plott Balsams	48520.4	19635.5 NC	S F etc.													N. Flying Squirrel; G1 stuff, endangered spp.						
11	Black Mts.	71337.8	28869.4 NC	Spruce Fir	Has "16K ac or more of primary forest in this block"																	Concern that too much metasedimentary showing up on geology map. ALSO, may have the greatest elevation range of all blocks	
12	Nolichucky	33877.0	13709.6 NC, TN	Somewhat of a stronghold for Hemlock forests; eastern red cedar. TN group: Car Hem; tot of pine types; some TMP. Lot of white pine in upland forest where hasn't burned	pretty good on		Railroad is biggest internal fragmenter.			Town of Erwin to North, but otherwise pretty good landscape integrity.	Mine waste might be affecting mainstem river.	Lots of unlogged forest in certain part (acidic cove?)	Some old growth on No Business Knob, Laurel Ridge area, and Temple Hill, Jones Branch.		Big stand replacement fires on TN and NC sidescaused by RR. Went straight up mtn. Lots of Southern Pine Beetle kill on lower slopes, esp. north of Nolichucky River.		Pretty big Virginia spirea pop.; probably most piratebush of anywhere (top 5 pop. In the world). Two endemic snalis just discovered on south side of Nolichucky Rver scree habitat. Some fire dependent spp.	Conduit along railroad going along river/gorge through middle of block. Jap. Knotweed affecting Va. spirea. Purple loosestrife on south end.	neat rock outcrops, boulderfields. Scree habitat on south side of Nolichuckyair blows through at	NF; Unaka Springs inholding commune, whitewater center. "Ephraim Place" inholding5 landowners there. Lost Cove inholding in NC FS may be trying to acquire.		TN group expressed puzzlement why grouped with Forge Mt. Group 12 blocks are so different. TN experts wouldn't want to prioritize against each other. What makes the two "pop" is very different.	Suggest combin with Big Bald bu not Unaka. Kee Hwy 197 as fragmenter. Co cut out part between 197 ar Nolichucky Rive southern end.
12	Forge Mt./Rogers Ridge	37112.3	15018.8 TN, VA, NC	Good amount of N H; TMP/PP intermixed w/ other types, but some fairly large patches; O H; Northern red oak.				Some houses along main ridge on TN/NC line			Pretty good.		"Pretty good quality" N H forest just south of limestone area at Va. state line		Xmas tree farms along NC/TN border		High overall regional biodiversity		Whetstone Branch, 1692 ac: a combination of base rich floodplains, mesic to xeric slopes, rock outcrops, and grassy balds.	NF (almost all in "backcountry in Forest Mgmt Plan); Lost Forest special mgmt area in NF in VA; one very large private tract (couple thousand acres); NC WRC (Pond Mm)		Limeston in part of this block Whetstone Branch on Va. line and up north; rich calcareous coveforestpretty unique. About 1200 ac.	
13a	Globe	35589.1	14402.4 NC			Hwy 90possibly not barrier at last 5 miles; if not, combine with Adams Mt/Johns?	FS is scoping DOT desire to improve Globe Road; will there be move to widen?													(MII)			Wanted combin with Adams Mt/Johns River after much mix debate, but not forget there is interesting stuff independently in Globe "subbloc
13a	Adams Mt./John's River	19189.3	7765.6 NC		"Plenty of core potential"	"Brwn Mtn Beach Rd Should not divide this block from Grandfather blk" (canopy cover, low traffic vol. over time)							"Has some good forests in it."										Wanted to comb with Grandfathe Brown Mtn Beat Road has canop cover and low volume generall
13a	Linville Gorge	######	29400.6 NC		Excellent/good																	"should be in a class all by itself"	
13b	South Mt. Connector	11265.6	4559.0 NC																Contains State Signif snha		Might contain private 8K ac Hickory Nut Mtn Tract		

Block Group	Block Name	Acres	Hectares	State (s) Forest Types	Overall Fragmenta-tion	Boundary Roads	Internal Roads	Internal Devlopment	Energy Infrastructure	Surrounding Landscape	Water Quality	Harvest History	Maturity Proportion	Biological Legacies	Disturbance History	Interior Spp.	Rare Spp.	Exotic Spp.	Natural Communities	Ownership type	Tract Sizes	Other	Combine/ Split?
14a	Poor Mountain	45383.1	18353.8 V	Scarlet Oak, CH VA, TMP, PP, VP, acidic core at north side at lower elevations			Some light development along interior roads.	NW side contains most recent city water supply reservoir, 15 towner wind energy project proposed for center of block; easting blig common top of Poor Mtm. in NE and tots of TV & radio towers on ridge north of i). Being developed slowly but surely. ³ But not as developed in middle because solls so poor, so steep. ment of block; around edges & small roads that dead-and.		Pretty important for connectivity by SBR and Ridge and Valley-Ft. Lewis Mr. WMA is just across the interstate, just to the north.	Bottom Creek is one of main tribs to Roancke River, pH in6.9 to 9.5 calas range in impained section of Bottom Creek (up to ThC boundary)	Maybe 'back in the day' for charcoal; but so poor productivity, quality, lot of it probably not harvested. Its beens a long titried to make a buck there.			Southern slopes have burned with some regularity3 4 fires over last free years. Lots of disturbance from tree fail on steep slopes (e.g., NW reachs at the react of steep area by Roandke River. There yrs ago. area was heavily Gypsy moths.	Barred owls, wood thrush (???)	Piratebush; Jorange fin madtom; log perch	Ailanthus problem -only one can think of (because of poor soils). Has replaced a lot of HWA-killed hemtock.	Central App. Shale barren in transition bt SBR and Ridge and Valley metasedimentary rockthat side of the SBR is where rockthat side of the SBR is where you get them. Right on border; more typically a ridge and valley commity type.	Bottom Craek Gorge Preserve Inside this-pretty big, toward southern end. 2700 as of protected land (TNC and DCR); plus also the city watershed at north end (not extremely large)		Booming bear population; lots of calls from residences around block regarding bear problems. Limestone at bottom of Macks: Poor may be more threatened Macks: Poor may be more threatened Macks or poor bear Poor may be more important as a connector to Ridge and Valley than for own sake.)	
14b	Macks Mountain	42005.6	16999.1 V	Like Poor Mtn, low site indices. Lot of CH O, vasarlet oak, black oak, mixed with PP, TMP, VP. Very littler rich; more acidic cove			lot of old roads are more like trails now.		Large 765kv transmission line across it (same as one going over Poor Mtn.) But trees exist where goes over ravines. Wind facility being ontemplated along area near transmission line.	,	Native brook trout stream above lake at Camp Powhatan. Camp has most of Macks Creek watershed. Some lead and e coli impairment in river at southern end.	A lot of timber cut in late 1800s for charcoal. A lot of it has 'recovered," or is fairly resilient.	early 1900s cut for charcoal.		Iron mining in past at middle to north end of western side. Reclamation done and closed. Big ice storm 1993 or so; Hurricane Hugo 1989. Lots of blowdowns, but not as much as along BR escarpment.		Piratebush	Hasn't been hit by gypsy moth as included in "slow the spread" pheromone flack applications. Hemlocks dyng. Block has all the typical exotic invasives. Garlic mustard. Bitterswt not bad	Really nice shale barrens, sizeable.	About 2BK of the 42K acres under "protection" (includes large Boy Sct Camp not under CE) Also Camp Ottari.	Single private tract in NE corner over 10K acres???	Lot of shale, metasedimentary rock. Not much of more typical metamorphic rock like granite or schist. Poor vas Macks: Poor vas Macks: Poor may be more threatened (Boy Scout camp in Mack's probably asfe for nov); but Poor may be more important as a connector to Ridge and Valley than for own sake.)	adjust boundary to
14c	Unicoi	58029.1	23483.6 C	Scarlet Oak; PP on ridge eastern edge of Tray Mtn- hill can understory. Similar forest in this group, but some higher elevations. Huge sugar maple/ basswood cove with tons of yellow wood at Swallow Crk				Mostly around edges-related to tourism around Helen, a little related to Lake Burton development on east side.			Hw of the Hiwassee heilbenders, brook trout in upper hw, rare crayfish.				Pretty active mgmt east side near Lake Burton Rx burning, getting back woodlands. NOTE: huge tornado decimated parts of Lake Burton shores on April 27, 2011 check on impacts in this block to east.		High enough elevations to support ravens regularly there. Might be small whorled pogonia in block near bordernot sure if in or out.		Unique scarlett oak/rhodo slick at top of Tray Mtn.; boulderfield forest	roadlessde facto			May want to check western boundary not exclude FS ownership there.
14c	Horsetrough Mt.	31871.9	12898.1 G	GA							Hw of the Chattahoochee	Same logging history (as Raven Cliffs).	Pretty similar to other areas.		Some recent timber harvest and Rx burning there; but lots of recreational use.				Simialr to Raven Cliffs, but not as many outcrops; some boulderfield like communities, but not yellow birch dominated.	Almost entirely NF. Mark Trail wilderness is a big chunk on west side.			
14c	Raven Cliffs Wilderness	27077.3	10957.8 C	(are these three in the area south of Cow Rock?). Some N aspect coves rich, but not sure they would stand out.							Hw of the Chattahoochee; Notelly River on the N side.	Less recent harvest than Rich Mtn.	All pretty similar 70-90 year old forest; nothing different from most of the area.		Doesn't have the disturbance history of Blood Mtn.		Nothing remarkable in birds here.	Lots of bittersweet, like Blood Mtn.	Basic glades, rock	amount; other FS land has A.T.; heavy rec &			Generally good boundaries, but suggest should look at southern boundary where cut off some USFS ownership.
14c	Blood Mt.	20206.3	8177.2 0	Mostly Oak. A few signif stands of TMP (both ridgetops and down below) significant									Best block containing early successional habitat.		Long history of arson on N side of Hwy 60 (have created some interesting woodland/native grass habitats. 5- 6K acre fire came up Blood Mtn on S side from Hwy 60created good ecol. Conditions.		One of two known populations of cerulean warblers in Ga.; highest bird diversity b/c of fire history. sibaldiopsis tridentate; other EO's.	Oriental bittersweet concentrations in wilderness up toward Blood Mtn. Have been treating. But spread a lot along A.T.	Best example of high elev. Rock summit in Ga. Noncalcareious outcrops.	About half block in Blood Mtn Wilderness. More recreation areas than anything. Chestatee W/MA. Probably one of top 5 recreation areas in forest.			

ock roup	Block Name	Acres	Hectares State(s)	Forest Types	Overall Fragmenta-tion	Boundary Roads	Internal Roads	Internal Devlopment	Energy Infrastructure	Surrounding Landscape	Water Quality	Harvest History	Maturity Proportion	Biological Legacies	Disturbance History	Interior Spp.	Rare Spp.	Exotic Spp.	Natural Communities	Ownership type	Tract Sizes	Other	Combine/ Split
15a	Honeycut Mt./ Humpback Mt.	15930.1	6446.7 NC	Richer O-H along ridge that not in other 15's, but mostly similar	Excellent	Will 221 be widened?							Really nice OG block right along 221 at N end						Includes Linville Cavens, only kars cave in WNC	t		"quite different" from other 15 group blocks	
15a	Little Switzerland	30207.8	12224.6 NC	O woodlands (Woods Mtn.);	Excellent	226 forms one boundarymain road up escarpment; being widened in places	226A is within block; frequent travel but mostly local						a. 500 ac OG Woods Mtn.; probably 1000 ac OG on Armstrong Crk.				Hudsonia montana (G1S1); turkey beard; shortia on somewhat trashed pvt land	Lots of knotweed going up 226 near Gillespie Gap	T	Lots of public conservation (NF); large pvt potential consvn (Wildacres, Lk. Tahoma)		Lot of FS RxBurn here	
15b	Doughton/Stone Mt.	8053.0	15399.5 NC	Mostly CH O; some POH		DOT may change						Early cutting							small ROs; a few WLs; small SBs; AC: RC	Lots of public conservation			
15b	Vannoy	45355.4	18354.7 NC		More fragmented than Doughton	Old Hwy 16 on west		Contains failed huge Laurelmoor subdivision??? (see Elk Ridge re Laurelmoor)				Early cutting	Not as good of condition as Doughton			Audubon has bird counts on assemblage	Not as well explored			Less existing conservation; disjunct piece of WRC gamelands; large pvt CE in N section		Has perhaps some of the highest relief of any block (Curtis Smalling)	
15b	Rendezvous Mt.	41992.1	16993.6 NC		Cmt 1: Most frag in Sub Grp (w/Elk); Cmt 2: better than Vannoy	3		large development (Scala Falls) near center; also large roaded area at recent dev. NE corner		Could potentially build 10K ac out from State Forest, but may be hard to connect to Pkwy area.			Remnant OG CH O Forest and patches of other "reasonably mature" at Rendezvous St. Forest, which, however, is mostly not mature.				One bog turtle pop. In SW section of blk near road.		Doesn't have major RO's of Doughton	State Forest (DFR)		Managing for cluster of cerulean warb's at MP 270 on Pkwy; also, includes highest occurrence of whipporwills @ about 1800 ft elev.	
15b	Elk Ridge	51881.8	20995.8 NC		Most frag in Sub Grp; 12,000 ac unfrag area within??? (to west)	US 421 is a boundary		Laurelmoor in this block??? Reynolds Blue Ridge (Jay???); Leatherwood hunting & equestrian commty (Reynolds)			Very good (ORW)						Reynolds areanor rare plants; NHP will be inventorying in coming years; ceruleans, App. Woodrats, some rare plants near fields	2	Reynolds area talus, no periglacial			Might focus on 12K ac area in W section, cut out res	
15b	Yadkin Headwaters	49846.0	20172.0 NC	POH & O forest throughout	May be best along with Doughton						Buffalo Fork & Joe's Fork good WQ								Fairly small single RO	Mingo Tract (pvt. Conservation?); WRC Buffalo Gamelands	Includes unprotected 1800 ac trout club lease on Yadkin River		
15c	Bent Mt.	31925.5	12919.8 VA	More acidic cove; a little richer, deeper soils (but not Rich Cove), more rain, than Poor & Macks. Tulip poplar. Montane Oak, rec oaks	i	State road at "pinch point" is not a big road almost have to pull of to let pass. Should revisit. BR Pkwy gets a lot of traffic, but questioned if fragmenter		farms as high up as possible for long time. Took	Small communications facility at top of peak in "subblock" to east could be developed into larger one.			Has been disturbed for long time. Allen thinks been high-graded for years. Lot of family timbering.			Lots of ice storms -"can look like Wwi in there."	-	Wonder if may b important breeding area for cerulean warblers because of maturity of forests and canopy gaps created by steep terrain.			"sub block" to east -peak of mtn may be owned by one faily.			Revisiit pinch p Should area to be a separate block?
16	Hickory Nut Gorge	65899.2	26668.5 NC	Some TMP; excellent CarHem R C	Excellent; "keep in"; parallel value with Chimney Rock								Real variable condition, but substantial acreage in good condition, particularly at S end.				Really good collection of rare species here; internal connectivity (??)	A whole lot of most everything; tree of heaven, etc. Probably worst invasives problem of any block (rich soils contribute)	Lots of snha's, some rare patch communities and some by forest community condition. Lots of RO's	Hickory Nut Mtn?		Major geographic brk at AVL basin lot of spp reach their limit N or S of here.	
16	Green River	30218.8	12229.1 NC		Excellent; "keep in"								Variable; "some good stuff in there"		WRC Rx fire some stand replacement, some TMP regen; could be core with multiple use around	I			Includes significant mafic peaks (Tryon Peak)very nice inclusions, interesting nat. commtys.	Large WRC gamelands; Large 2K ac pvt holding on Hungry River? (or is that in Chimney Rock?)			
16	Blue Wall	56339.7	22799.9 SC, NC	Low elev rich cov forest; Lyriodendrum/wh e oak/red oak communities;	e it			Large unroaded area at center (Poinsett Wshed) w/ TNC CE on it, about 20K acres. Cliffs development (heavy) lies between watershed and Chestnut Ridge Her. Preserve.		There is some missing protection data that should show a connection between the watershed and the Chestnut Ridge Her. Preserve.	Includes Pacolet River and Saluda River headwaters	1934-36 approximately last large cut in watershed; youngest stuff 1957 (when Wshed was protected); outside Wshed, varies a lot, but maybe early 1940s last landscape wide cut			There was an artillery range, and some development in watershed during 1920s; ice storms much more extensive than hurricane landslide damage- doubled fuel load in some burn units; Japanese three lined weevil defoliating lots of	Ovenbirds, black & white warblers, scarlet tanagers	Sisyrinchum on mafic outcrops.	Princess tree, tree of heaven, kudzu, oriental bittersweet significant; invasive trees taking hold in canopy gaps. Most multiflora rose as anywhere in SC mtns. Wild hogs.	6.2); really lush diverse herbaceious assemblagea lot of things here that aren't anywhere else in SC; foothills subtype; provudiffs; pomp	Heritage Preserve- -state bought from Champion late	700 ac for sale	"Enormous amt" of amphibolite includions here; Chestnut Ridge Her. Preserve has all the mafic endemics; much of the watershed is mafic	

lock roup	Block Name	Acres	Hectares	State(s)	Forest Types	Overall Fragmenta-t		oundary Roads	Internal Roads	Internal Devlopment	Energy Infrastructure	Surrounding Landscape	Water Quality	Harvest Histor	Maturity Y Proportion	Biological Legacies	Disturbance History	Interior Spp.	Rare Spp.	Exotic Spp.	Natural Communities	Ownership type	Tract Sizes	Other	Combine/ Split
16	Mt. Bridge	28668.8	11601.5	SC, NC	Pretty much the same as other blocks.		bou wid no car did exp exp Gre to r not fra fea cov diff	werline at west undaryare dening it now; is anaged to have understory, no nopy. Just as if the NC perts, SC perts suggested een River Road north maybe perts suggested een River Road north maybe tern River Road north maybe tern suggested gmenting ature: almost mplete canopy ver over it; very ferent from werline to west.				"This is the missing piece in connecting the whole escarpment."	Headwaters; may be some water quality issues on Middle Saluda.	Probably	Mostiy 70 year old timber.		Not a lot of fire history; maybe occasional lightning strikes.				Some granitic outcrop communities.	Very limited protected land; but also limited development; small amount of camps and small mtn communities. Private ownership of richest geology area in SC; CE on Cedar Rock 600 ac. Ltd development; Naturaland Trust Cer. County Park west of Citifs at Mountain Park.	Scout Camp;		Just as NC expe suggested, mayt Green River Ros shouldn 'be fragmentercan cover.
16	Jocassee	82215.6	33271.8	5 SC,	Different in different places. Some mountains partially togged in 1926, but didn't take out limby stuff. Lots of ridge tops have huge white caks because left during logging. Wadaco Mtn basswood, ash, very large old stuff. Some shortleaf, TMP, pitch pine ridges. Shortleaf, TMP, pitch pine ridges. Has soils from very acid to 7.4 PH. Lots of mtn laurel on ridges.	WAS ASSESSED MT BRIDGE WEST	with			Minor lakeshore development; another 40 acres could be developed			More outstanding resource waters than anywhere else in state of SC. Horsepasture River in NC: Candidate for ORW	,	Parts function as 'older growth." Lots of older growth in very steep mountainsides 150 years old. Lots of pockets of older growth. 10% (20 years old; 10% 80-120.				At Eastatoe Valley (this block???), 535 rare plant populations on 530 a.c.; lots of stuff no where else in SC; some else in SC; conce bells. Only pair of peregrine falcons in SC.	e 1	Eastatoe and Brasstown may to conserve in Upstate SC (Both probably have been treeless for 1000 years.) Critical f ware been in fall. A lot of stream bottom in better shape than in other places.	Eastoe Valleybig problem with generational turnover; land or rich, cash poor, not in a hurry.		Management varies a fair amount G'ulle watershed totally hands off; State Parks, public recreation/access; gamelands.	powerline as fragmenter: ultimately, strong argued not to us
16	Chimney Rock	13733.2	5557.6	5 NC	0'	Excellent; "ke in"; parallel va with Hickory I Gorge	/alue					Connector between this and HNG block very important			Similar to HNG block						Bigger RO's here than HNG, but there too	9			
16	Mt. Bridge West	14065.6	5692.2	SC, NC																		Has two inholdings; most of rest is already protected		False sedimentary area showing up or geology; not quartzite there, it's granite.	Suggested combining with Jocassee and Headwaters blo
7a	Spring Creek Mt.	40589.6	16426.0	NC											NF part is "battered"; but "good stuff" in the gorge							Almost entirely private; NF part al N end is battered		Not as good a potential as the Newfound Mtns block Josh proposes, according to him	"Could lump the gorge part in wi Max Patch bloc
7b	Headwaters	52211.9	21129.4	SC, NC		WAS ASSESSED MT BRIDGE WEST	with																Includes largest unprotected tract in WNC (8,000 ac)		
7b	White Water	39868.5	16134.2	SC, NC	Lots of POH w/ remnants of open habitat. "Shortleal pine heaven."	F							Pretty good, except for manmade lakes.				This is one of the most fire-prone areas in SC. Active Rx Burning since 1970s/80s. Had perhaps biggest, most intense wildfire here in 1970s.				Bull Pen Bog	Lots of protected lands: Oconee St Park, Oconee Station; USFS		Amphibolite inclusions in Station Cove. Distinguishing feature: rapid rise from Piedmont, then levels off at 107, then falls off on other side to Chattooga.	
7b	Upper Chattooga/ Three State	58880.2	23828.0	NC, SC, GA	Pretty similar to Rabun Bald area. PP heath; some TMP.	90% FS own	ned.						Aquatically, sam as Lower and Mi Chattooga.	e d "typical"			2-3 wildfires of 1000 acres or more in last several years. A little bit of timber mgmt for restoration purposesdone some thinning to get back TMP, but very small. Some Rx. Fire.	THE site for Sawwhet owls in winter.	Lots of cliffside goldenrod; sand myrtle. Small whorled pogonia; green salamander	HWA is worst thing here. Where it first hit Ga. Lots of mortality. Hedden Crk Bog heavily invaded by miscanthus	Hedden Crk Bog	Much is protected some inholdings, some towns. 90% FS owned. Less than 1/4 in Ga. is in wilderness. Wild & Scenic River partially in this block.		There is a Table Mountain Pine PLANTATION here.	
7b	Tiger	15606.6	6315.8	3 GA													Some recent burns with good recovery. (Mike Brod worked this area on Rx fire could call him.)		Only one EO 1991 naked fruit rush.	"usual array"				NOTE: nobody seemed to recognize this area or the roads around it. End conclusion: nothing particularly special about this area	

ock oup	Block Name	Acres	Hectares	Forest Types	Overall Fragmenta-tior	n Boundary Roads	i Internal Roads	Internal Devlopment	Energy Infrastructure	Surrounding Landscape	Water Quality	Harvest History	Maturity Proportion	Biological Legacies	Disturbance History	Interior Spp.	Rare Spp.	Exotic Spp.	Natural Communities	Ownership type	Tract Sizes	Other	Combine/ Split
17c	Duncan Ridge	49468.7	20019.3	Includes Soseber Cove-very diverse cove. One of better areas for Rich Coves in Ga. Boulderfield fores Boulderfield fores on Coose Bald, north side of block. South side mixed white prine, horth prine, north side of block. South side mixed white prine, horth prine, north side of block. South side mixed white prine, horth		Heavy development along highway threat to watershed.	Pretty heavily roaded, but just with single lane gravel FS roads.					Overall pretty heavily settled an logged; even some of the premier yellow poplar sites are second growth. A lot of chestnuts cut for leather tanning industry. 10-20% been actively managed during FS ownership and is 30 yrs or less.	Old growth Yellow Poplar at Cooper Creek Sc. Area.			Red breasted nuthatches breeding here.	Ceruleans seen here; trying to manage for, but not breeding yet. Most bog turtles of any block. Historic GWW Sites gone now. Purple fringed orchids on Wolf Creek. Native brook trout streams. Darters in Upper Toccoa; hellbenders premier site in Cooper Crk.	Along hwys, roads, wildlife plots.		Coosa Bald Scenic Area (not a bald) and Cooper Crk Scenic Are special levels of protection; rest in multiple use, some mgmt prescriptions. Fair amt Rx fire, some commerical timber.			
17c	Rocky Mt.	13353.4	5403.9	GA More mesic acidic. Lot of white pine. Very much like Amicalola Dahlonega.			Mostly just dead end forest roads.	Houses on north side and along Gaddistown Rd.			Hellbenders in hw of Toccoa Riv.		Lot of 70-80 yr old forest, mostly protected.		Rx. Fire (to control white pine and promote oak regen.		Bog Turtle site.			FS ownershipno wilderness. Lot of recreation use. Rx. Fire.		This block doesn't jump out as being a unique site.	Suggest should combine with Amicalola.
18	Asheville Watershed/ Curtis Creek	72746.4	29439.4	NC	Excellent						Exceptional						A number of "federally ranked" spp.	Large outbreak of miscanthus in AVL watershed, plus microstegium, bittersweet, spirea				Excellent mafic inclusions at N side of block	M. Schafale suggests combini with Black Mtns; Pkwy between the two is not much of a barrier
18	Grandfather Mt.	90700.8	36705.3	NC	Excellent; includes 3 big roadless areas																		
19a	Dupont	25143.7	10175.3	A lot of drier montane oak hickory forest; probably more than in other blocks									Not a lot of hardcore old growth, but quite a lot of decent middle age forest on it's way						Lot of concentration of wetlands and mountains			This is one of the unusual andscapes, like Pantertown, with large areas of exololiating roack very unique	Suggest should combine with Dupont West across power line and to south with Mt. Bridge across Green River Roan need to refine northern boundaries
19a	Dupont West	9826.2	3976.5	A lot of drier montane oak hickory forest; probably more than in other blocks									Not a lot of hardcore old growth, but quite a lot of decent middle age forest on it's way						Lot of concentration of wetlands and mountains			This is one of the unusual landscapes, like Pantertown, with arge areas of exfoliating roack very unique	Suggest should combine with Dupont across power line and to south with Mt. Bridge across Green River Roa need to refine northern boundaries
19b	Cathy's Creek	25807.5	10443.9	NC NOT REVW'D																			Mike Schafale suggested combi with Looking Gla: -road boundary even less than 21 and 215
19b	N. Fork French Broad	****	5891.7	NC																			
19c	Mt. Rogers	69166.4	27990.7	VA							Some of best WQ in state								Serpentine			Suggested renaming because Mt Rogers not in this block	
20a	Chunky Gal	51993.4	21041.0	NC													Golden Winged Warblers; cerulean too		barrensour one big ultramafic area. It is a woodland (Rx fire 15 yr. history); Bog at edge with Fires Creek (in this block, or left out of both?)			"Similar environmental setting to Standing Indian"	Gary K suggests should lump with Standing Indian block. But then later someone sai that "the ones tha go best together are Chunky Gal and Fires Creek."
20a	Tri-County	68618.6	27768.9	Disjunct Spruce on high ridge; patches of N H; quite a bit of White Pine stand	is							Some big timber projects on public land: Welch, County Line.	Mixed bag. Core on public land, despite big timber sales, but not super big.				Rare spp. assoc. with spruce forest					Viewed as a bridge between Nantahala Mins and Cowees, hough "dots of nice stuff there" in its own right. "Based on lack of info regarding this lolck, it may not be as compelling, compared with others we've done; we don't have much info about it."	Suggest cutting or area of significant parcelization along Alarka Road.
20a	Cowee	63642.0	25755.0	NC				Lots of ridgetop high end development on the Macon County side.					Higher elevations of Cowees have significant "older growth" of [??] forest type									Includes outcroppings of matic rock and	Note: some snha got clipped out of SE side of block. Suggest cutting o lot of developmen west of Lake

Block Group	Block Name	Acres	Hectares	Forest Types	Overall Fragmenta-tion	Boundary Roads	Internal Roads	Internal Devlopment	Energy Infrastructure	Surrounding Landscape	Water Quality	Harvest History	Maturity Proportion	Biological Legacies	Disturbance History	Interior Spp.	Rare Spp.	Exotic Spp.	Natural Communities	Ownership type	Tract Sizes	Other	Combine/ Split
20b	Pond Mt.	69800.2	28247.2 Th NC	"Some neat hardwood forests."	Mostly intact and NF land.			Lots of fields N of 19E; mostly valleys in NC part: fragmented; Elk River Gorge "really nice"	One powerline on TN side.			Not much timber harvest in much of NF. Especially not much in eastern half of FS ownership in block.	Some big trees, but not really O G		Catastrophic fire from mid 20's, destroying logging road infrastructure		Sawwhet owls.		Heath bald. Forested bog (Jones Branch Bog23 achigh quality).	Mostly FS incuding big Wilderness.		"Like the amphibolites without the unique mountains"	
20b	Unaka Mt. Wilderness	46593.9	18855.9 NG	S F different her goes down really low (4000 ft.); Sweetgum flats ' on N side; "nice H" (Gary K., from 15 yrs ago); extensive POH o TN side	N n N fields															USFS: TN side is wildemess; not NC side.		"A freak show"	
20b	Big Laurel	49652.7	20093.7 NG	NOT REVW'D				Lots of ag in the valleys within the block			Outstanding Resource Waters in Big Laurel;		Forests not as extensive or as good a shape as other blocks							Not much public land (maybe 1000 ac along A.T.); maybe a few easements		Shouldn't be as high a priority as others.	
20b	Hurricane Mts.	39757.4	16089.2 NC	Lot of CH O fore	st			Lots of fields and fragmentation at southern end.				Quite a bit of logging here even in NF.	Forest condition quite variable "some is battered." Lower percentage of really good forest in this block compared with others.				Lots of GWW's, esp. on pvt. land; zigzag salamanders; "interesting" bat spp.	Purportedly the biggest populatior density of Pawlonia in N. America; also, garlic mustard ba here.	Some very nice natural areas in this block.			Very similar geology with Max Patch.	Suggest should i lumped with Max Patch & Harmon Denonly dirt roads separating them. Might wan to adjust souther boundary to just of Hurricane Rid
21	Sugar Grove	32183.7	13024.3 VA	Montane Oak; HERO, poplar coves; lot of rhododendron								Lot of past logging, highly disturbed	"Mature forest, but nothing you'd call old growth."		Mining at southern part on Pugh Mtn and on eastern end reclaimed.			Lot of autumn olive		3000 acre pvt property, camp (CE on it); USFS		NOTE: Completely outside of SBR boundary. It's Ridge and Valley. A lot of bear get hit on I-81 on N side of this block	
21	Jefferson/Iron Mt.	***	30709.2 VA																				
22a	Roan Mt West	5525.0	22348.8 NC	S F; N H; HERO	,												18 State and Federal listed species		High elev rocky summits. Natural communities here are high quality, including forests. Ripshin bog at north end? Moffett Laurel Botanical Area (608 ac) has one of most mesic forest areas- swamp forest-bog complex, high ele- seep.	,			suggested we combine Roan E and West
22a	Big Bald	32524.5	13162.2 NO	÷.	Pvt land in Yancey Co. very fragmented;														So. App. Hardwood boulderlield forest (G3) very high quality at East Fork of Higgins Creek (age & structure uncommon for this region)				19W may or ma not be fragmen w/ Nolichucky block; way less busy than Bl. Ridge Pkwy by shot
22b	Pink Beds	57300.	23188.5 NO	NOT REVW'D																			
22b	Panthertown Valley	49657.6	20095.7 NC	Includes some white pine plantation							Outstanding Resource Waters	Lot of prior "land use history" on NF; fairly disturbed, but recovering.							A lot of snha's in	NF; Includes some large CE's held by SAHC		Questioned similarity of Panthertown and Standing Indian	Recommendation that we split out some development along western sit
22b	Cullasaja	32973.5	13343.9 NG	Lots of different types of forest (CH O, etc.)			Road through gorge-goes between inhabited areas-lots of traffic, even at night	1					"Lots of good forest, especially in the gorge"					Invasives issues in the gorge	A lot of snna's in this block; Prominent spray cliffs; @ "the Fishhawks," lots of interesting mafic communities; prominent rock outcrops at Scaly Mtn and Little Scaly				
22b	Standing Indian	95508.2	38650.8 NG	NH								No unusual logging history.	"Large extent of old growth throughout"		Doing a little bit of cutting for early successional habitat (grouse mgmt) in a few places.	Crossbills, creeper (???)	Golden Winged Warblers. Rare lichens related to Buck Creek Serpentine Barrens. Only Ga. state EO for water shrew. Small whorled pogoniaPlum Orchard Gap.		Cedar glades; large swamp bog complex along Nantahala River. Cliff on Hightower Bald. Buck Creek Serpentine Barrens	Southern Nantahala Wilderness in upper third in Ga. along NC line. Ga. Wildlife Federation owns a piece of property in block.		questioned similarity of Panthertown and Standing Indian	Gary K suggest should lump with Chunky Gal bloo Rocky Knob is north of the bloo suggested shou include that. Ga experts say look east boundary land excluded

Block Group	Block Name	Acres		Hectares State(s)	Forest Types	Overall Fragmenta-tion	Boundary Roads	Internal Roads	Internal Devlopment	Energy Infrastructure	Surrounding Landscape	Water Quality	Harvest History	Maturity Proportion	Biological Legacies	Disturbance History	Interior Spp.	Rare Spp.	Exotic Spp.	Natural Communities	Ownership type	Tract Sizes	Other	Combine/ Split
23	Roy Taylor	93625.3	37888	.8 NC	(goes up to	"Much more fragmented"; but suits concept of working forest around core	t	Considerable amount of roads (but are they just old logging roads?)	Lower part, lot of small valleys with fields, but ridges with forests between them.															Suggested all parkway blocks b combined in this area, as well as blocks divided by Hwy 215 and 276
23	Looking Glass	20438.9	8271	.3 NC																				Suggest combine with Pink Beds "276 not enough a barrier" (but, or other hand, gets lots of traffic all ti way up to the top
23	Mt. Pisgah	14202.1	5747	.4 NC															Gary Kauffman: if megablock, should call it the "Oriental Bittersweet Megablock"					Suggested shoul be lumped with others276 carri more traffic than 215
24	Richland Balsam	*****	12425	.4 NC	NOT REVW'D														-					Suggested comb into megablock
24	Shining Rock	35818.2	14495	.1 NC	NOT REVW'D																			Suggested comb into megablock
25	Roan Mt. East	65580.8	26539	.6 NC	NH; SF;		Hwy 261Shafale thinks not a barrier	3												Grassy Balds; some spruce fir; northern hardwoods				Suggested we combine Roan Ea and West
25	Amphibolite Mts.	51023.2	20648	.4 NC			Reconsider road at bottom so as to possibly include Tater Hill; ALSO, suggested should include 2 snha's at Little Phoenix, instead of using road to divide there.	"Roadless" area										Lots of EO's, including lots of rare plants		Probably most significant bog	Long Hope Valley is in largest "roadless" area			